



snom

Product Catalogue



The Brand


In the year 1997, Snom Technology was a Berlin startup and first in the world to deploy professional VoIP devices. This has given Snom the first-mover advantage, allowing the brand to grow in pedigree and scope to represent the world's premium VoIP business telephone category.

Snom operates across the world and has a sizeable customer base who helped Snom grow as a business while continually contributing to evolving the technology and product ranges.

Snom's brand sits in four product categories:




Telephones



Conferencing



Headsets



Broadcasting

The D3xx Series – with Quality, Functionality & Advanced Features

The Snom D3xx Series is perfectly designed with the European aesthetic and has been a telephone of choice for effective everyday work across millions of proven installations, providing quality and functionality that are indispensable for everyday working life, whether in on-premises or hosted PBX environments.

This bestselling line of telephones is feature rich and powered by the proven and well-established Snom software that fulfills all of the requirements of advanced business telephony, including wideband HD audio for crystal clear conversations, robust CTI integration, compatibility with Bluetooth, high-definition displays and support for security standards such as TLS and SRTP.

The series meets all business budgetary requirements in four models from the entry level up to the executive office.



D375



D385 Desk Telephone

Tiltable high-resolution colour display
True paperless extension monitoring
12 configurable, self-labeling keys
Gigabit switch USB port
12 SIP identities Sensor hook switch
Bluetooth-compatible



D375 Desk Telephone

Tiltable high-resolution colour display
12 multicolour function keys
Gigabit switch USB port
12 SIP identities Sensor hook switch
Bluetooth-compatible
Dual Stack IPv4/IPv6



D345 Desk Telephone

True paperless extension monitoring
12 configurable, self-labeling keys
Gigabit switch USB port
12 SIP identities Sensor hook switch
Wideband audio
Dual Stack IPv4/IPv6



D315 Desk Telephone

High-resolution display with backlight
Gigabit switch USB port
4 SIP identities Sensor hook switch
Wideband audio
Dual Stack IPv4/IPv6



D305 Desk Telephone

High-resolution display with backlight
Ethernet switch
4 SIP identities Sensor hook switch
Wideband audio
VLAN support



D3 (Expansion Module)

High-resolution display with backlight
18 configurable, self-labeling LED keys
Power supplied by phone via USB port
Daisy-chain up to 3 expansion modules

The D7xx Series – Quality, Advanced Features & Worldwide Recognition

The professional D7xx Series telephones are aesthetically appealing, offering a highly practical industrial design to meet mission critical business requirements where the telephone is a key tool in every day work.

These high performance devices provide the best in wideband HD audio, ensuring crystal clear sound quality. Bluetooth-compatibility, high definition displays, colour screens, programmable keys ensure a continual overview of numerous extensions. A preinstalled certificate to enable secure provisioning without manual intervention, robust CTI integration to support security standards such as TLS and SRTP.

The series meets all business budgetary requirements in five models from the entry level up to the executive office.



D765



COMING
SOON

Q4 / 2017



D785 Desk Telephone

High-resolution colour display
True paperless extension monitoring
6 configurable, self-labeling keys
Gigabit switch USB port
12 SIP identities Sensor hook switch
Bluetooth-compatible Wideband audio

D765 Desk Telephone

High-resolution colour display
16 multicolour function keys
Gigabit switch USB port
12 SIP identities Sensor hook switch
Bluetooth-compatible
Dual Stack IPv4/IPv6 Wideband audio

D745 Desk Telephone

True paperless extension monitoring
8 configurable, self-labeling keys
Gigabit switch USB port
12 SIP identities Sensor hook switch
Wideband audio
Dual Stack IPv4/IPv6



D725 Desk Telephone

Graphical display with backlight
18 multicolour function keys
Gigabit switch USB port
12 SIP identities Sensor hook switch
Wideband audio
Dual Stack IPv4/IPv6

D715 Desk Telephone

Graphical display with backlight
Gigabit switch USB port
4 SIP identities Sensor hook switch
Wideband audio
Dual Stack IPv4/IPv6

D712 Desk Telephone

Graphical display with backlight
Ethernet switch
4 SIP identities Sensor hook switch
Wideband audio
Dual Stack IPv4/IPv6

D7 black (Expansion module)

High-resolution display with backlight
18 configurable, self-labeling LED keys
Power supplied by phone via USB port
Daisy-chain up to 3 expansion modules

Workplace Mobility – Freedom of movement while you talk

Whether using a single radio base station or a multicell installation, Snom's DECT solution allows you to keep doing business when moving around the workplace.

The Snom family of IP-DECT systems and handsets ensure that business users don't sacrifice functionality and quality for workplace mobility while maintaining the capability of their desk telephones.

Whether in small business environments, large enterprises, factories, warehouses, temporary construction sites, schools, critical environments, or healthcare centers, the Snom IP-DECT systems can be installed rapidly. The M85 additionally offers a wide range of alarms designed to increase safety in the workplace. Scaled instantly while providing superb HD digital voice communications with call security and encryption and maintaining all of the advanced features of the business telephone system.



M85



M85 Industrial Handset

Ruggedized IP65 DECT handset
Alarm features to increase safety
Shockproof, splash-proof, dust-proof
Suitable for outdoor areas
Programmable alarm key
Headset jack
Pull-cord, man-down alarm
Vibration alert, belt clip, Bluetooth-compatible



M65 Professional Handset

High resolution TFT colour display
Wideband speakerphone DECT encryption
Configurable to M300 and M700
Up to 250 h standby
Local & shared address book
Headset jack
SW upgrade over-the-air
Vibration alert, belt clip



M25 Office Handset

Speakerphone DECT encryption
Configurable to M300 and M700
Up to 75 h standby
Intuitive user interface Headset jack
SW upgrade over-the-air



M700 Multicell Base Station

Scalable up to 254 base stations
Up to 1000 handsets per installation
Wideband audio Over-the-air synchronization
Repeater support Snom provisioning
No hidden costs for licenses
No DECT manager required



M325 DECT Bundle Single-cell

M300 base station & M25 handset bundle
Up to 20 handsets
Up to 5 parallel calls
Repeater support Snom provisioning
Security (TLS and SRTP)

M15 SC



M45 SC





M15 SC

1.7" graphical display

Up to 7 hours talk-time

Up to 7 days standby

Illuminated keypad

Integrated belt clip

Works with M200 SC and M400 SC



M200 SC

Single-cell base station for up to 6 handsets

Up to 4 parallel calls

Wideband audio codecs

Snom redirection service

PoE enabled

GAP compatible



M215 SC

Universal DECT-bundle

Up to 6 handsets

Integrated belt clip

GAP compatible



COMING
SOON

Q4 / 2017

M45 SC

2" Colour Display

GAP-compatible

Up to 9 hours talk-time

Up to 7 days standby

Illuminated keypad

Works with M200 SC and M400 SC



COMING
SOON

Q4 / 2017

M400 SC

Single-cell base station for up to 20 handsets

Up to 5 parallel calls

Wideband audio codecs

Snom redirection service

PoE enabled

GAP compatible



COMING
SOON

Q4 / 2017

M445 SC

DECT-bundle for small and medium offices

Up to 20 handsets

Colour display

GAP compatible

Conferencing – Optimized for your business environment

In today's business environment, it is important for users to collaborate seamlessly. Snom's audio conferencing is an easy to implement solution to help speed up decision making, reduce turnaround time and boost productivity. Snom's conference telephone provides a reliable solution with all the benefits of 20 years of Snom's investment in IP phone engineering.



C520-WiMi



C520-WiMi

Two detachable wireless DECT microphones

Automatic and adaptive echo cancellation technology

Expandable by up to three C52-SP speakerphones for large conferences with up to 4 separate rooms

Supports two Bluetooth devices like mobile phones or headsets and one DECT headset



C52-SP

Full duplex speakerphone extension for C520-WiMi

Wireless DECT connectivity to C520-WiMi

Battery-powered or AC adapter support

Up to 12 hours talk time

Up to 70 hours standby



MeetingPoint

OmniSound® Full Duplex broadband sound technology

3-way conference calls

Recording range up to 30 m² room area or 10 participants

Simultaneous access to internal & external telephone books (LDAP)

12 SIP registrations



MeetingPoint Extension Microphones

Expand recording range to up to 70m²

Automatically detected

Public Address System

The PA1 allows you to create announcements by initiating a call from any Snom telephone. The PA1 has a highly efficient 4-watt amplifier that provides coverage for an entire room or floor space.

PA1 augments your existing SIP PBX with the built-in high-performance amplifier which is ideal for broadcasting announcements or to pipe background music in assigned rooms, hallways, and office floors.



PA1


4-watt Class-D amplifier

4 controllable output pins

Broadcasts over SIP and Multicast

Robust housing

Wall and ceiling mountable



PA1

Headsets



A100D

Binaural design with superior wideband sound

300° flexible boom with noise-cancelling microphone

Single wire design for users' convenience

Quick Release (QR) connector system

Ultra light-weight: 79g (without cord)



A100M

Monoraural design with superior wideband sound

300° flexible boom with noise-cancelling microphone

Single wire design for users' convenience

Quick Release (QR) connector system

Ultra light-weight: 56g (without cord)




QR Accessories

ACUSB adapter cable for USB devices

ACPJ adapter cable for 3.5mm phone jack

ACPJ25 adapter cable for 2.5mm phone jack

Certification on Major Platforms



Technical Support

Snom's Help Desk is a secure single point of contact for Snom's professional installer community. Our support team is highly trained, efficient, globally active and multi-lingual. The Snom Help Desk is a 2nd level and upwards support resource that is reachable continually online. It is designed as a multi-tiered trouble-shooting tool for support tickets by topic and time. It is fully monitored with escalation procedures and problem resolutions. The system also holds a knowledge base and forum to assist professionals in finding rapid responses to their problems.

Snom utilizes its help desk and technical support systems for operational excellence, aligning resources and efficiencies, continually improving response times, escalation to software development for continual firmware and software deployment, and a feedback loop into the quality management operations and the update of its shared knowledge base.

helpdesk.snom.com

D7xx Series



COMING
SOON



D785



D765

D745



D725

D715

D712

Display	Colour TFT	Colour TFT	Graphical	Graphical	Graphical	Graphical
SIP Identities	12	12	12	12	4	4
Ethernet/Switch	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2x 10/100 Mbps
USB	●	●	●	●	●	○
Programmable Keys (LED)	6 multicolour	16 multicolour	8 multicolour	18 multicolour	5	5
Expansion Module	●	●	●	●	●	○
Position	Dual-angle 46° and 28°	Dual-angle 46° and 28°	Dual-angle 46° and 28°	Dual-angle 46° and 28°	Dual-angle 46° and 28°	Dual-angle 46° and 28°
Colour	Black	Black	Black	Black	Black	Black
Bluetooth-compatible	Integrated	Integrated	Via USB dongle	Via USB dongle	Via USB dongle	○

D3xx Series



D385



D375



D345



D315



D305

Display	Colour TFT	Colour TFT	Graphical	Graphical	Graphical
SIP Identities	12	12	12	4	4
Ethernet/Switch	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x 10/100 Mbps
USB	●	●	●	●	○
Programmable Keys (LED)	12 multicolour	12 multicolour	12 multicolour	5	5
Expansion Module	●	●	●	●	○
Position	Single-angle flat	Single-angle flat	Single-angle flat	Single-angle flat	Single-angle flat
Colour	Black blue	Black blue	Black blue	Black blue	Black blue
Bluetooth-compatible	Integrated	Integrated	Via USB dongle	Via USB dongle	○

Workplace Mobility



M85



M65



M25



COMING
SOON

M45 SC



M15 SC

Display	2" 176 x 220 px TFT	2" 176 x 220 px TFT	1.4" 128 x 128 px TFT	2" 176 x 220 px TFT	1.7" 90 x 65 px
Wideband audio	G.722 codec	G.722 codec	○	G.722 codec	G.722 codec
Standby time	200 hours	250 hours	75 hours	7 days	7 days
Max. talk time	17 hours	18 hours	7 hours	9 hours	7 hours
Battery	Lithium-Ion 1100mAH	Lithium-Ion 1100mAH	2 x AAA rechargeable	NiMH Battery Pack	NiMH Battery 550mAH Pack
Dimensions	152 x 48 x 28 mm	141 x 48 x 24 mm	135 x 41 x 25 mm		174 x 49 x 31mm
Extras	Vibration alert, security features, illuminated keypad, IP65, Bluetooth compatible	Vibration alert, belt clip, illuminated keypad	○	illuminated keypad	belt clip, illuminated keypad

Workplace Mobility



M300

M700

Cell type	Single	Multi
Handsets	20	1000
Parallel calls	5	8 per base
Wideband codec	G.722 codec	G.722 codec
PoE	○	●
GAP	○	○



M200 SC

M400 SC

Cell type	Single	Single
Handsets	6	20
Parallel calls	4	5
Wideband codec	G.722 codec	G.722 codec
PoE	●	●
GAP	●	●

Materials

Exciting new
high-quality
materials

Audio

Acoustically
optimized
audio chamber

Visualisation

High-resolution display
and new intuitive GUI

True paperless

dedicated display for
extension monitoring
and presence

Multiple Pages

Up to 24 virtual BLF-keys



Dead man's alarm system

Position sensors register unusual position

Alarmkey

Programmable alarm key

Connectivity

Bluetooth compatible

Ruggedized

Shockproof splash- and dust proof

Rugged, durable DECT handset

The M85 industrial handset has been developed for the most demanding day-to-day workplace requirements. This modern IP-DECT phone is especially resilient and shockproof. The M85 also boasts cutting-edge occupational safety features such as integrated dead man's alarm system and an alarm function.

Alarm functions

Programmable alarm key: the Snom M85 features a fully programmable alarm key. The phone can be programmed to send an automatic cry for help to any chosen number when this key is pressed.



Headquarter | Germany

Wittestr. 30 G
13509 Berlin

Phone +49 30 398 33 0
Fax +49 30 398 33 111
Email hq@snom.com

France

1er Etage Gauche
6 Parc des fontenelles
78870 Bailly

Phone +33 1 80 87 64 87
Fax +33 1 80 87 62 88
Email office.fr@snom.com

Italy

Via Milano1
20020 Lainate
(Milano area)

Phone +39 02 006 112 12
Fax +39 02 936 618 64
Email office.it@snom.com

Taiwan

Snom Technology Ltd.
Rm. 828, 5F, No. 285, Sec. 4
Zhongxiao E. Rd.
Da'an Dist.
Taipei City 10692
Chinese:10692 台北市大安區忠
孝東路四段285號5樓828室

Phone +886 2 8751 1120
Fax +886 2 8751 1130
Email office.tw@snom.com

UK

The Courtyard
High Street
Ascot
Berkshire
SL5 7HP

Phone +44 161 348 7500
Fax +44 161 348 7509
Email office.uk@snom.com

USA

Snom, Inc.
2603 Camino Ramon
Suite 420
San Ramon,
CA 94583

Phone +1 339-227-6160
Fax +1 339-227-6180
Email infoUSA@snom.com